DIVISION 12 – FURNISHINGS 12 06 00 SCHEDULES FOR FURNISHINGS 12 06 20 SCHEDULES FOR WINDOW TREATMENTS

PART 1 - GENERAL

1.01 DESIGN REQUIREMENTS

- A. WSU prefers roller shades to other forms of window coverings. Alternative window covering proposals require approval from the WSU Project Manager and WSU Facilities Services, Capital.
- B. In general, WSU prefers manual roller shades. Motorized roller shades may be acceptable in areas where window treatments are difficult to reach or other special circumstances. Use of motorized roller shades requires approval from the WSU Project Manager and WSU Facilities Services, Capital.
- C. Design Consultant shall consider the following when proposing roller shade locations:
 - 1. Room darkening and sunlight glare.
 - 2. Verify head room clearances and provide for easy window accessibility for cleaning and maintenance.
 - 3. If windows are operable or rotate for cleaning, ensure shades do not hinder window operation.

PART 2 - PRODUCTS

2.01 SUBMITTALS

- A. Submit the following to the WSU Project Manager for review by WSU Facilities Services, Capital:
 - 1. Manufacturer's product data for each assembly, component, and fabric.
 - 2. Two samples of each proposed shade product, in manufacturer's standard sizes, showing the full range of color, texture, and pattern variations expected. Prepare samples from the same material to be used for the work.

2.02 PRE-APPROVED MANUFACTURERS

- A. Pre-approved manufacturers are subject to the submittal requirements above.
 - 1. Mechoshade Systems
 - 2. Nysan

DIVISION 12 – FURNISHINGS 12 06 00 SCHEDULES FOR FURNISHINGS 12 06 20 SCHEDULES FOR WINDOW TREATMENTS

3. Lutron

PART 3 - EXECUTION (NOT APPLICABLE)

PART 4 - QUALITY (NOT APPLICABLE)

PART 5 - WARRANTY (NOT APPLICABLE)

PART 6 - TRAINING REQUIREMENTS (NOT APPLICABLE)

PART 7 - STOCK AND SPARE PARTS (NOT APPLICABLE)

PART 8 - PRE-INSTALL REQUIREMENTS (NOT APPLICABLE)

PART 9 - SPECIAL INSPECTIONS (NOT APPLICABLE)

PART 10 - SHOP DRAWINGS (NOT APPLICABLE)

PART 11 - SPECIAL INSTRUCTIONS OR PROVISIONS (NOT APPLICABLE)

END OF SECTION